



1. Identification

1. Identification			
Product identifier	RSC EnviroLogic HF 46		
Other means of identification			
Part No.	ELHF46		
Recommended use	Hydraulic Fluid		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name	RSC Bio Solutions		
Address	600 Radiator Road		
	Indian Trail, NC 28079 United States		
Telephone	Phone:	704-684-6100	
	Fax:	704-257-8996	
Website	www.rscbio.com		
E-mail	Not available.		
Emergency phone number	EMERGENCY PH NO:	1-800-661-3558	
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Not classified.		
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Hazard symbol	None.		
Signal word	None.		
Hazard statement	The mixture does not meet the criteria for classification.		
Precautionary statement			
Prevention	Observe good industrial hyg	giene practices.	
Response	Wash hands after handling.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of waste and residues in accordance with local authority requirements.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), Hydrotreated Heavy Paraffinic		64742-54-7	< 1
Other components below report	able levels		90 - 100

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.

Material name: RSC EnviroLogic HF 46

Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for	The product is immiscible with water and will spread on the water surface.
containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
	Others in an initial tighthy allocated exacting an Others are strong in a second still an attained (see Oceation 40

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Lim Components	_	Value	Form	
components	Туре	value	1 onn	
Distillates (petroleum), Hydrotreated Heavy Paraffinic (CAS 64742-54-7)	TWA	5 mg/m3	Inhalable fraction.	
Biological limit values	No biological exposure limits noted for the ingredient(s).			
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.			
Individual protection measure Eye/face protection	s, such as personal protective equipn Wear safety glasses with side shield			

Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.
Other	Wear suitable protective clothing.
Respiratory protection	Dust mask.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

AppearanceClear.Physical stateLiquid.FormLiquid.ColorAmberOdorMildOdor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point518.0 °F (270.0 °C)Evaporation rateNot available.Flarmability (solid, gas)Not available.Upper/lower flammability or ex>=vie limitsFlammability limit - lower (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Vapor pressureNot available.Vapor densityNot available.Solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity46 cStViscosity temperature (%)Not available.Perent volatile (pour pointNot explosive.Flammability classCombustible IIIB estimatedNot available.Not available.Partition coefficient (n-octanol/water)Not available.Viscosity46 cStViscosity temperatureNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0%Pour point-32.8 °F (-36 °C)Specific gravity0.92VoC0%		
FormLiquid. AmberColorAmberOdorMildOdorNot available.pHNot available.Initial point/freezing pointNot available.Initial boiling point and boilingNot available.rangeStallable.Flash pointStallable.Flammability goald, gas)Not available.Flammability limit - lowerNot available.flammability limit - lower (%)Not available.flammability (water)Not available.flaetive densityNot available.flaetive densityNot available.flaetive densityNot available.flaetion coefficient (n-ctanol/water)Not available.flaetive densityNot available.flaetion temperatureNot available.flaetion temperatureNot available.flaeting propertiesNot available.	Appearance	
ColorAmberOdorMildOdor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boling point and bolingNot available.Initial boling point and bolingNot available.Flash point518.0 °F (270.0 °C)Evaporation rateNot available.Flammability orexperimentNot available.Flammability orexperimentNot available.(%)Not available.f(%)Not available.f(%) </th <th>Physical state</th> <th></th>	Physical state	
OdorMildOdorMildOdor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point518.0 °F (270.0 °C)Evaporation rateNot available.Flammability (solid, gas)Not available.Ipper/lower flammability or expiresive limitsFlammability (solid, gas)Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - lower (%)Not available.Vapor pressureNot available.Vapor densityNot available.Solubility(ies)SolubileSolubility(water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity temperatureNot available.Viscosity temperatureNot available.Viscosity temperatureNot available.Viscosity temperatureNot available.Density7.66 lbs/galExplosive properties Not explosive.Not explosive.Flammability classCombustibe IIIB estimatedOxidizing properties Not oxidizing.Not oxidizing.Percent volatile0%Pour point-32.8 °F (-36 °C)Specific gravity0.92	Form	•
OdorinitialOdor thresholdNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point518.0 °F (270.0 °C)Evaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or explorable.Not available.flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.flammability limit - lower (%)Not available.genome (%)Not available.flammability limit - lower (%) (%)Not available.Vapor pressureNot available.Vapor densityNot available.Vapor densityNot available.Solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Viscosity temperatureNot available.Viscosity temperature104 °F (40 °C)Other informationInsolubile IIIB estimatedDensity7.66 lbs/galExplosive propertiesNot available.Flammability classCombustible IIIB estimated </th <th>Color</th> <th>Amber</th>	Color	Amber
pHNot available.pHNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point518.0 °F (270.0 °C)Evaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or expive limitsFlammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - lower (%) Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity temperature (biscosity temperatureNot available.Viscosity temperature (biscosity propertiesNot available.Density7.66 lbs/galExplosive properties (Dxidizing propertiesNot available.Percent volatile (Dxidizing propertiesNot available.Pour point (Dxidizing ropertiesNot available.Pour point (Dxidizing ropertiesNot available.Pour point (Dxidizing ropertiesNot available.Pour point (Dxidizing propertiesNot available.Pour point (Dxidizing ropertiesNot available.Pour point (Dxidizing ropertiesNot available.Pour point (Dxidizing ropertiesNot available.Pour point (Dxidizing ropertiesNot available. <tr< th=""><th>Odor</th><th>Mild</th></tr<>	Odor	Mild
Melting point/freezing pointNot available.Melting point/freezing pointNot available.Initial boiling point and boiling rangeNot available.Flash point518.0 °F (270.0 °C)Evaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or explore timitsFlammability limit - lower (%)Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%) (%)Not available.Vapor pressureNot available.Vapor densityNot available.Vapor density solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity uscosity temperatureNot available.Viscosity pensity46 cStViscosity temperature pensityNot explosive.Pansity pensity7.66 lbs/galExplosive properties powertiesNot explosive.Pansity percent volatile0 %Pour point pour point-32.8 °F (-36 °C)Specific gravity0.92	Odor threshold	Not available.
Initial boiling point and boiling rangeNot available.Flash point518.0 °F (270.0 °C)Evaporation rateNot available.Flammability (solid, gas)Not available.Upper/lower flammability or expise limitsFlammability limit - lower (%)Flammability limit - lower (%)Not available.Flammability limit - lower (%)Not available.Explosive limit - lower (%) (%)Not available.Explosive limit - lower (%) (%)Not available.Vapor pressureNot available.Vapor densityNot available.Vapor densityNot available.Solubility(ies) Solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity46 cStViscosity temperature DensityNot available.Viscosity temperature DensityNot explosive.Flammability classCombustible IIIB estimatedOxidizing properties Not oxidizing.Not oxidizing.Percent volatile Oxidizing.0 %Pour point Specific gravity0.92	рН	Not available.
rangeFlash point518.0 °F (270.0 °C)Evaporation rateNot available.Flammability (solid, gas)Not applicable.Upper/lower flammability or explosive limitsNot available.flammability limit - lowerNot available.(%)Not available.Flammability limit - upperNot available.(%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Viscosity temperatureNot available.Viscosity temperatureNot available.Viscosity temperatureNot available.Density7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Melting point/freezing point	Not available.
Evaporation rateNot available.Flammability (solid, gas)Not applicable.Upper/lower flammability or explosive limitsNot available.Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Viscosity temperatureNot available.Viscosity temperatureNot available.Density7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92		Not available.
Flammability (solid, gas)Not applicable.Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartiton coefficient (n-octanol/water)Not available.Auto-ignition temperature (n-octanol/water)Not available.Viscosity temperature (biscosity temperatureNot available.Density Flammability class7.66 lbs/galExplosive properties Flammability classNot explosive.Flammability class (oxidizing properties)Not oxidizing.Pour point (noticing growity)0.92	Flash point	518.0 °F (270.0 °C)
Upper/lower flammability or explosive limitsFlammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperature Uiscosity temperatureNot available.Viscosity temperature DensityNot available.Density Flammability class Oxidizing properties7.66 lbs/galExplosive properties Flammability classNot explosive.Flammability class Oxidizing propertiesNot explosive.Pour point Oxidizing Osicity0.92	Evaporation rate	Not available.
Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Viscosity46 cStViscosity temperature104 °F (40 °C)Other informationExplosive propertiesDensity7.66 lbs/galExplosive propertiesNot available IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Flammability (solid, gas)	Not applicable.
(%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available. Not available. Relative density Not available. Not available. Solubility (water) Partition coefficient (n-octanol/water) Auto-ignition temperature Not available. Decomposition temperature Not available. Viscosity Viscosity temperature Not available. Viscosity temperature Density Flammability class Other information Density Flammability class Oxidizing properties Not explosive. Flammability class Oxidizing. Percent volatile Pour point Specific gravity O.92	Upper/lower flammability or exp	losive limits
(%) Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available. Relative density Not available. Solubility(ies) Solubility (water) Insoluble Partition coefficient Not available. (n-octanol/water) Auto-ignition temperature Not available. Decomposition temperature Not available. Viscosity 46 cSt Viscosity temperature 104 °F (40 °C) Other information Density 7.66 lbs/gal Explosive properties Not explosive. Flammability class Combustible IIIB estimated Oxidizing properties Not oxidizing. Percent volatile 0 % Pour point -32.8 °F (-36 °C) Specific gravity 0.92	-	Not available.
Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Relative densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity temperatureNot available.Viscosity temperature104 °F (40 °C)Other informationInsolusite IIIB estimatedDensity7.66 lbs/galFlammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92		Not available.
Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity46 cStViscosity temperature104 °F (40 °C)Other informationJongen (40 °C)Density7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Explosive limit - lower (%)	Not available.
Vapor densityNot available.Relative densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity46 cStViscosity temperature104 °F (40 °C)Other information7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Explosive limit - upper (%)	Not available.
Relative densityNot available.Solubility(ies)InsolubleSolubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Uiscosity46 cStViscosity temperature104 °F (40 °C)Other informationInsolubleDensity7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Vapor pressure	Not available.
Solubility(ies)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity46 cStViscosity temperature104 °F (40 °C)Other information7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Vapor density	Not available.
Solubility (water)InsolublePartition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Uiscosity46 cStViscosity temperature104 °F (40 °C)Other information7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Relative density	Not available.
Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity46 cStViscosity temperature104 °F (40 °C)Other information7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Solubility(ies)	
(n-octanol/water)Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity46 cStViscosity temperature104 °F (40 °C)Other information7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Solubility (water)	Insoluble
Decomposition temperatureNot available.Viscosity46 cStViscosity temperature104 °F (40 °C)Other information7.66 lbs/galDensity7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92		Not available.
Viscosity46 cStViscosity temperature104 °F (40 °C)Other information7.66 lbs/galDensity7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Auto-ignition temperature	Not available.
Viscosity temperature104 °F (40 °C)Other information7.66 lbs/galDensity7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Decomposition temperature	Not available.
Other informationDensity7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Viscosity	46 cSt
Density7.66 lbs/galExplosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Viscosity temperature	104 °F (40 °C)
Explosive propertiesNot explosive.Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Other information	
Flammability classCombustible IIIB estimatedOxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Density	7.66 lbs/gal
Oxidizing propertiesNot oxidizing.Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Explosive properties	Not explosive.
Percent volatile0 %Pour point-32.8 °F (-36 °C)Specific gravity0.92	Flammability class	Combustible IIIB estimated
Pour point-32.8 °F (-36 °C)Specific gravity0.92	Oxidizing properties	Not oxidizing.
Specific gravity 0.92	Percent volatile	0 %
	Pour point	-32.8 °F (-36 °C)
VOC 0 %	Specific gravity	0.92
	VOC	0 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	•	ful	
	Prolonged inhalation may be harmful.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause	e temporary irritation.	
Information on toxicological effe	ects		
Acute toxicity	Not available.		
Skin corrosion/irritation	Prolonged skin contact may cause t	temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause	e temporary irritation.	
Respiratory or skin sensitizatior	ı		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to cause	ise skin sensitization.	
Germ cell mutagenicity	No data available to indicate produc mutagenic or genotoxic.	ct or any components present at greater than 0.1% are	
Carcinogenicity	This product is not considered to be	e a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
Not listed.			
	d Substances (29 CFR 1910.1001-10	1050)	
Not regulated.	ogram (NTP) Report on Carcinogens		
Not listed.		19	
Reproductive toxicity	This product is not expected to cause	ise reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmfu	ful.	
12. Ecological information	I		
Ecotoxicity	The product is not classified as envi possibility that large or frequent spil	vironmentally hazardous. However, this does not exclude the ills can have a harmful or damaging effect on the environment.	
Product	Species	Test Results	

EC50	Algae	> 100 ppm	
EC50	Daphnia	> 100 ppm	
		6	

Product		Species	Test Results
Fish	LC50	Fish	> 10000 ppm

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	1	
Biodegradability Percent degradation	(Aerobic biodegradation)	
RSC EnviroLogic HF 4	16 > 60 % ASTM D7373	
Bioaccumulative potential		
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard 2012, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Hazard categories

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

```
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)
```

Not regulated.

```
Safe Drinking Water Act Not regulated.
```

(SDWA)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	11-01-2016
Version #	01
HMIS® ratings	Health: 1 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 1 Flammability: 1 Instability: 0
NFPA ratings	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.